

## Anoop Shetty publications

Shetty AK and Rinaldi CA. Cardiac Resynchronization Therapy Upgrade: Verschlimmbesserung? Circ Arrhythm Electrophysiol. 2017 Feb;10(2)

Shetty AK and Kalman J. Concealed atrial ectopic focus originating from the tricuspid annulus. Journal of Cardiovascular Electrophysiology 2013 Sep;24(9):1054

Shetty AK et al. Cardiac Magnetic Resonance Derived Anatomy, Scar and Dyssynchrony Fused with Fluoroscopy to Guide LV Lead Placement in Cardiac Resynchronization Therapy: A Comparison with Acute Hemodynamic Measures and Echocardiographic Remodelling. European Heart Journal - Cardiovascular Imaging 2013 Jul;14(7):692-9.

Shetty AK et al. A Comparison of Left Ventricular Endocardial, Multisite and Multipolar Epicardial Cardiac Resynchronization: An Acute Hemodynamic and Electro-anatomical Study. Europace. 2014 Jun;16(6):873-9

Shetty AK, Linton NWF, Wright M, O'Neill MD. Alternating RBBB and LBBB post AV node ablation: what is the mechanism? Pacing Clin Electrophysiol 2012 Dec;35(12):1505-6

Shetty AK et al. The Acute Hemodynamic Response to LV Pacing within Individual Branches of the Coronary Sinus using a Quadripolar Lead. Pacing Clin Electrophysiol 2012; 35(2):196-203

Shetty AK et al. Quad-Site Pacing Using a Quadripolar Left Ventricular Pacing Lead. Pacing Clin Electrophysiol 2013 Feb;36(2):e48-50

Shetty AK et al. Use of a Quadripolar Left Ventricular Lead to Achieve Successful Implantation in Patients with Previous Failed Attempts at CRT. Europace. 2011 Jul;13(7):992-6.

Shetty AK et al. Initial Single Centre Experience of a Quadripolar Pacing Lead for Cardiac Resynchronisation Therapy. Pacing Clin Electrophysiol. 2011; 34(4):484-9

Shetty AK, Roy D, Thomas MR, Rinaldi CA. Quadripolar Left Ventricular Lead Implantation through the Anchor Struts of a Mitral Valve Annuloplasty Device. Europace. 2011; 13(4):590-1

Shetty AK, Behan MW, Bostock J, Rinaldi CA. Device therapy for the management of cardiac tachyarrhythmias. Expert Rev Cardiovasc Ther. 2010; 8(9):1257-66.

Shetty AK, Walker F, Cullen S, Lambiase PL. Extraction of Pacing Leads Jailed by a Stent in a Mustard Circulation. Pacing Clin Electrophysiol. 2010; 33(7):e65-7

Shetty AK, Carlin J, Mughal ZM. Urinary calcium excretion in enterally fed disabled children. Archives of Disease in Childhood 2001. 85(1): 58-9

Duckett SG, Ginks M, Shetty AK et al. Invasive acute hemodynamic response to guide LV lead implantation predicts chronic remodelling in patients undergoing cardiac resynchronisation therapy. *Journal of the American College of Cardiology* 2011; 58(11):1128-36

Duckett SG, Ginks MR, Shetty AK et al. Reply (letter). *Journal of the American College of Cardiology*. 2012 Mar 27;59(13):1198-9

Sohal M, Shetty A et al. Mechanistic insights into the benefits of multisite pacing in cardiac resynchronization therapy: The importance of electrical substrate and rate of left ventricular activation. *Heart Rhythm*. 2015 Jul 9. [Epub ahead of print]

Sohal M, Shetty A et al. Delayed Trans-Septal Activation Results in Comparable Hemodynamic Effect of Left Ventricular and Biventricular Endocardial Pacing: Insights from Electro-Anatomical Mapping. *Circ Arrhythm Electrophysiol*. 2014 Apr;7(2):251-8

Ginks MR, Shetty AK et al. Benefits of Endocardial and Multi-Site Pacing Are Dependent on the Type of LV Electrical Activation Pattern and Presence of Ischemic Heart Disease: Insights from Electro-Anatomical Mapping. *Circ Arrhythm Electrophysiol*. 2012 Oct;5(5):889-97

Sohal M, Shetty A et al. Non-invasive Assessment of LV Contraction Patterns Using CMR to Identify Responders to CRT. *JACC Cardiovasc Imaging*. 2014 Apr;7(2):251-8

Chen Z, Hanson B, Sohal M, Sammut E, Child N, Shetty AK et al. Left ventricular epicardial electrograms show divergent changes in action potential duration in responders and nonresponders to cardiac resynchronization therapy. *Circ Arrhythm Electrophysiol* 2013 Apr;6(2):265-71

McLellan AJA, Ling L, Ruggiero D, Wong MC; Tomos EW, Nisbet A, Shetty AK et al. Pulmonary vein isolation: the impact of pulmonary venous anatomy on long term outcome of catheter ablation for paroxysmal atrial fibrillation. *Heart Rhythm* 2014 Apr;11(4):549-56.

Chen Z, Sohal M, Voight T, Sammut E, Geers C, Child N, Jackson T, Shetty AK et al. Myocardial tissue characterization by cardiac magnetic resonance imaging using T1 mapping predicts ventricular arrhythmia in ischemic and non-ischemic cardiomyopathy patients with implantable cardioverter defibrillators. *Heart Rhythm* 2015 12 (4), pp. 792-801

Chen Z, Cabrera-lozoya R; Relan J, Sohal M, Shetty AK Biophysical modelling predicts ventricular tachycardia inducibility and circuit morphology: A combined clinical validation and computer modelling approach. *Journal of Cardiovascular Electrophysiology* 2016 Jul;27(7):851-60

Ma YL, Shetty AK et al. An integrated platform for image-guided cardiac resynchronization therapy. *Phys Med Biol*. 2012 May 21;57(10):2953-68. Epub 2012 Apr 20.

Niederer S, Shetty AK et al. Biophysical Modelling to Simulate the Response to Multisite Left Ventricular Stimulation using a Quadripolar Pacing Lead. *Pacing Clin Electrophysiol*. 2012; 35(2):204-14

Mehta P, Shetty AK et al. Elimination of phrenic nerve stimulation occurring during CRT Follow-up in patients implanted with a novel quadripolar pacing lead. *Journal of Interventional Cardiac Electrophysiology*. 2012; 33(1):43-9.

Kirubakaran S, Shetty AK et al. Inadvertent identification of the left pericardiophrenic vein following laser lead extraction to guide left ventricular lead placement. *Europace*. 2011 Nov. [Epub ahead of print]

Nasopoulou A, Shetty A et al. Improved identifiability of myocardial material parameters by an energy-based cost function. *Biomech Model Mechanobiol* 2017 Jun;16(3):971-988.

Chen Z, Kotecha T, Crichton S, Shetty A. Lower incidence of inappropriate shock therapy in patients with combined cardiac resynchronization therapy defibrillators (CRT-D) compared to patients with non-CRT defibrillators (ICDs). *Int J Clin Pract* 2013 Aug;67(8):733-9

Rinaldi CA, Kranig W, Leclercq C, Kacet S, Betts T, Bordachar P, Gutleben KJ, Shetty A et al. Improvement in acute contractility and hemodynamics with multi-point pacing via a left ventricular quadripolar pacing lead. *Journal of Interventional Cardiac Electrophysiology* 2014 Mar 14. [Epub ahead of print]

Williams SE, Arujuna A, Whitaker J, Sohal M, Shetty AK et al Percutaneous Extraction of Cardiac Implantable Electronic Devices (CIEDs) in Octogenarians. *Pacing Clin Electrophysiol*. 2012 Apr 22. [Epub ahead of print]

Arujuna A, Williams S, Whittaker J, Shetty AK et al. Trends Indications and Outcomes of Cardiac Implantable Device System Extraction: A Single UK Centre Experience over the Last Decade. *Int J Clin Pract*. 2012; 66(2):218-25

Sohal M, Duckett SG, Zhuang X, Shi W, Ginks M, Shetty A et al. A prospective evaluation of cardiovascular magnetic resonance measures of dyssynchrony in the prediction of response to cardiac resynchronization therapy. *J Cardiovasc Magn Reson*. 2014 Aug 1;16(1):58

Ginks MR, Duckett SG, Kapetanakis S, Bostock J, Hamid S, Shetty AK et al Multisite Left Ventricular Pacing as a Potential Treatment for Patients with Postero-lateral Scar: Insights from Cardiac Magnetic Resonance Imaging and Invasive Haemodynamic Assessment. *Europace*. 2012; 14(3):373-9.

Duckett SG, Ginks M, Shetty A et al. Adverse response to cardiac resynchronisation therapy in patients with septal scar on cardiac MRI preventing a septal right ventricular lead position. *J Interv Card Electrophysiol*. 2012; 33(2):151-60

Williams S, Arujuna A, Whitaker J, Shetty AK et al. Percutaneous Lead and System Extraction in Patients with Cardiac Resynchronization Therapy (CRT) Devices and Coronary Sinus Leads. *Pacing Clin Electrophysiol*. 2011; 34(10):1209-16

Duckett SG, Ginks M, Shetty AK et al. Realtime fusion of cardiac magnetic resonance imaging and computed tomography venography with X-ray fluoroscopy to aid cardiac resynchronisation therapy implantation in patients with persistent left superior vena cava. *Europace*. 2011; 13(2):285-6

Duckett SG, Ginks MR, Knowles BR, Ma Y, Shetty A et al. Advanced Image Fusion to Overlay Coronary Sinus Anatomy with Real-Time Fluoroscopy to Facilitate Left Ventricular Lead Implantation in CRT. *Pacing Clin Electrophysiol.* 2011; 34(2):226-34

Rinaldi CA, Kranig W, Leclercq C, Kacet S, Betts T, Bordachar P, Gutleben KJ, Shetty A et al. Acute effects of multisite left ventricular pacing on mechanical dyssynchrony in patients receiving cardiac resynchronization therapy. *J Card Fail.* 2013 Nov;19(11):731-8

Crozier A, Blazevic B, Lamata P, Plank G, Ginks M, Duckett S, Sohal M, Shetty A et al. The relative role of patient physiology and device optimisation in cardiac resynchronisation therapy: A computational modelling study. *Journal of molecular and cellular cardiology.* 2015 Nov 4 (epub ahead of print)

Xi J., Lamata, P., Niederer, S., Land, S., Shi, W., Zhuang X., Ourselin S., Duckett, S.G., Shetty, AK et al. The estimation of patient-specific cardiac diastolic functions from clinical measurements. *Med Image Anal.* 2012 Oct 16 (epub ahead of print)

Niederer S, Walker C, Crozier A, Hyde ER, Blazevic B, Behar JM, Claridge S, Sohal M, Shetty A et al. The impact of beat-to-beat variability in optimising the acute hemodynamic response in cardiac resynchronisation therapy. *Clin Trials Regul Sci Cardiol.* 2015 Dec;12:18-22

Xi J., Lamata, P., Shi, W., Niederer, S., Land, S., Rueckert, D., Duckett, S.G., Shetty, AK et al. An automatic data assimilation framework for patient-specific myocardial mechanical parameter estimation. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* Volume 6666 LNCS, 2011, Pg 392-400

Ma, Y.L., Duckett, S., Chinchapatnam, P., Gao, G., Shetty, A et al. MRI to X-ray fluoroscopy overlay for guidance of cardiac resynchronization therapy procedures. *Computers in Cardiology* Vol 37, 2010, Pages 229-232

Ma, Y., Duckett, S., Chinchapatnam, P., Shetty, A et al. Image and physiological data fusion for guidance and modelling of cardiac resynchronization therapy procedures. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 6364 LNCS, pp. 105

Lee AW, Crozier A, Hyde ER, Lamata P, Truong M, Sohal M, Jackson T, Behar JM, Claridge S, Shetty A et al. Biophysical Modeling to Determine the Optimization of Left Ventricular Pacing Site and AV/VV Delays in the Acute and Chronic Phase of Cardiac Resynchronization Therapy. *J Cardiovasc Electrophysiol.* 2017 Feb;28(2):208-215.

Crozier A, Blazevic B, Lamata P, Plank G, Ginks M, Duckett S, Sohal M, Shetty A et al. Analysis of lead placement optimization metrics in cardiac resynchronization therapy with computational modelling. *Europace* 2016 Dec;18(suppl 4):iv113-iv120

Schulze WHW, Chen Z, Relan J, Potyagaylo D, Krueger MW, Karim R, Sohal M, Shetty A et al. ECG imaging of ventricular tachycardia: evaluation against simultaneous non-contact mapping and CMR-derived grey zone. *Med Biol Eng Comput* 2017 Jun;55(6):979-990