

Arun Sahai publications

Publications in peer reviewed journals

Getting out of a tight spot: an overview of ureteroenteric anastomotic strictures.
Lobo N, Dupré S, Sahai A, Thuraiaraja R, Khan MS.
Nat Rev Urol. 2016 Aug;13(8):447-55.

Urethral atrophy is fiction! Time to focus on the capsule?
Sahai A, Zacharakis E.
BJU Int. 2016 Apr;117(4):549-50.

Do we understand how botulinum toxin works and have we optimized the way it is administered to the bladder? ICI-RS 2014.
Apostolidis A, Rahnama'i MS, Fry C, Dmochowski R, Sahai A.
Neurourol Urodyn. 2016 Feb;35(2):293-8.

Persistence with mirabegron therapy for overactive bladder: A real life experience.
Pindoria N, Malde S, Nowers J, Taylor C, Kelleher C, Sahai A.
Neurourol Urodyn. 2015 Dec 15.

PDE-5 Inhibitors for BPH-Associated LUTS.
Brousil P, Shabbir M, Zacharakis E, Sahai A.
Curr Drug Targets. 2015;16(11):1180-6. Review.

Integrative review on the non-invasive management of lower urinary tract symptoms in men following treatments for pelvic malignancies.
Faithfull S, Lemanska A, Aslet P, Bhatt N, Coe J, Drudge-Coates L, Feneley M, Glynn-Jones R, Kirby M, Langley S, McNicholas T, Newman J, Smith CC, Sahai A, Trueman E, Payne H.
Int J Clin Pract. 2015 Oct;69(10):1184-208.

The Relationship Between Technical And Nontechnical Skills Within A Simulation-Based Ureteroscopy Training Environment.
Brunckhorst O, Shahid S, Aydin A, Khan S, McIlhenny C, Brewin J, Sahai A, Bello F, Kneebone R, Shamim Khan M, Dasgupta P, Ahmed K.
J Surg Educ. 2015 Sep-Oct;72(5):1039-44.

Patient experience and satisfaction with Onabotulinumtoxin A for refractory overactive bladder.
Malde S, Dowson C, Fraser O, Watkins J, Khan MS, Dasgupta P, Sahai A.
BJU Int. 2015 Sep;116(3):443-9.

Simulation-based ureteroscopy skills training curriculum with integration of technical and non-technical skills: a randomised controlled trial.
Brunckhorst O, Shahid S, Aydin A, McIlhenny C, Khan S, Raza SJ, Sahai A, Brewin J, Bello F, Kneebone R, Khan MS, Dasgupta P, Ahmed K.

Surg Endosc. 2015 Sep;29(9):2728-35.

Simulation-based ureteroscopy training: a systematic review.

Brunckhorst O, Aydin A, Abboudi H, Sahai A, Khan MS, Dasgupta P, Ahmed K.J Surg Educ. 2015 Jan-Feb;72(1):135-43.

Assessment of treatment-seeking behavior and healthcare utilization in an international cohort of subjects with overactive bladder.

Jimenez-Cidre M, Costa P, Ng-Mak D, Sahai A, Degboe A, Smith CP, Tsai K, Herschorn S. Curr Med Res Opin. 2014 Aug;30(8):1557-64.

The changing face of urinary continence surgery in England: a perspective from the Hospital Episode Statistics database.

Withington J, Hirji S, Sahai A. BJU Int. 2014 Aug;114(2):268-77.

What is the role for biomarkers for lower urinary tract disorders? ICI-RS 2013.

Fry CH, Sahai A, Vahabi B, Kanai AJ, Birder LA. Neurourol Urodyn. 2014 Jun;33(5):602-5.

Long-term follow-up of sacral neuromodulation for lower urinary tract dysfunction.

Peeters K, Sahai A, De Ridder D, Van Der Aa F. BJU Int. 2014 May;113(5):789-94.

Validation of the bladder control self-assessment questionnaire (B-SAQ) in men.

Sahai A, Dowson C, Cortes E, Seth J, Watkins J, Khan MS, Dasgupta P, Cardozo L, Chapple C, De Ridder D, Wagg A, Kelleher C. BJU Int. 2014 May;113(5):783-8.

The use of botulinum toxin for the treatment of urologic pain.

Russell A, Kavia R, Dasgupta P, Sahai A. Curr Opin Urol. 2013 Nov;23(6):570-8.

Is percutaneous nephrolithotomy in solitary kidneys safe?

Wong KA, Sahai A, Patel A, Thomas K, Bultitude M, Glass J. Urology. 2013 Nov;82(5):1013-6.

Botulinum toxin-A for overactive bladder: formulations, dosing and clean intermittent catheterisation. Sahai A.

BJU Int. 2013 Jul;112(1):9-10.

Botulinum toxin-what urologic uses does the data support?

Seth J, Khan MS, Dasgupta P, Sahai A. Curr Urol Rep. 2013 Jun;14(3):227-34.

Nerve growth factor (NGF): a potential urinary biomarker for overactive bladder syndrome (OAB)?

Seth JH, Sahai A, Khan MS, van der Aa F, de Ridder D, Panicker JN, Dasgupta P, Fowler CJ.

BJU Int. 2013 Mar;111(3):372-80.

Botulinum toxin-A for the treatment of overactive bladder: UK contributions.

Seth JH, Dowson C, Khan MS, Panicker JN, Fowler CJ, Dasgupta P, Sahai A.
J Clin Urol. 2013 Mar;6(2):77-83.

Recent advances in the diagnosis and treatment of bladder cancer.

Cheung G, Sahai A, Billia M, Dasgupta P, Khan MS.
BMC Med. 2013 Jan 17;11:13.

Overactive bladder and sexual function: a nightmare couple.

Proietti S, Giannantoni A, Sahai A, Khan MS, Dasgupta P.
BJU Int. 2012 Oct;110(7):921-4.

The psychology of LUTS: ICI-RS 2011.

Cortes E, Sahai A, Pontari M, Kelleher C.
Neurourol Urodyn. 2012 Mar;31(3):340-3.

Incontinence: should we inject the trigone during botulinum toxin injection?

Sahai A, Dasgupta P.
Nat Rev Urol. 2012 Jan 17;9(3):129-30.

Repeated botulinum toxin type A injections for refractory overactive bladder: medium-term outcomes, safety profile, and discontinuation rates.

Dowson C, Watkins J, Khan MS, Dasgupta P, Sahai A.
Eur Urol. 2012 Apr;61(4):834-9.

Neurogenic detrusor overactivity in patients with spinal cord injury: evaluation and management.

Sahai A, Cortes E, Seth J, Khan MS, Panicker J, Kelleher C, Kessler TM, Fowler CJ, Dasgupta P.
Curr Urol Rep. 2011 Dec;12(6):404-12.

Testicular pain as a presentation of Cowden syndrome.

Alnajjar HM, Sahai A, Keane A, Gordon S.
Ann R Coll Surg Engl. 2011 Jul;93(5):e51-2.

The safety and efficacy of botulinum toxin-A in the management of bladder oversensitivity: a randomised double-blind placebo-controlled trial.

Dowson C, Sahai A, Watkins J, Dasgupta P, Khan MS.
Int J Clin Pract. 2011 Jun;65(6):698-704.

Repeat botulinum toxin-A injections for treatment of adult detrusor overactivity.

Dowson C, Khan MS, Dasgupta P, Sahai A.
Nat Rev Urol. 2010 Dec;7(12):661-7.

Role of laparoscopic nephrectomy for refractory hypertension in poorly functioning kidneys.

Elhage O, Sahai A, Challacombe B, Murphy D, Scoble J, Dasgupta P.
Ann R Coll Surg Engl. 2011 Jan;93(1):25-6.

Repeated injections of botulinum toxin-A for idiopathic detrusor overactivity.

Sahai A, Dowson C, Khan MS, Dasgupta P; GKT Botulinum Study Group.

Urology. 2010 Mar;75(3):552-8.

Periurethral non-animal stabilized hyaluronic acid/dextranomer injections: efficacy and formation of granuloma/sterile abscess.

Sahai A, Thomas M, Nedas T, Larner T, Niekrash R, Hammadeh MY.

Urology. 2009 Sep;74(3):486-8.

Endovascular management of grade V blunt renal trauma with associated splenic injury.

Sahai A, Cuthbert F, Niekrash R, Siddiqui M, Gulati MS.

Nat Rev Urol. 2009 Jun;6(6):335-7.

Improvement in quality of life after botulinum toxin-A injections for idiopathic detrusor overactivity: results from a randomized double-blind placebo-controlled trial.

Sahai A, Dowson C, Khan MS, Dasgupta P.

BJU Int. 2009 Jun;103(11):1509-15.

Vesicoureteric reflux diagnosed by urethral catheterisation.

Sahai A, Kuppurajan N, Dau D, Sarangi N, Gulati MS.

BMJ Case Rep. 2009;2009. pii: bcr05.2009.1842.

Obstructive jaundice as a presenting symptom of metastatic carcinoma of the prostate.

Sahai A, Lai CW, Constantinescu G, Hammadeh MY.

BMJ Case Rep. 2009;2009. pii: bcr05.2009.1839.

Assessment of urodynamic and detrusor contractility variables in patients with overactive bladder syndrome treated with botulinum toxin-A: is incomplete bladder emptying predictable?

Sahai A, Sangster P, Kalsi V, Khan MS, Fowler CJ, Dasgupta P.

BJU Int. 2009 Mar;103(5):630-4.

Urodynamic assessment of poor responders after botulinum toxin-A treatment for overactive bladder.

Sahai A, Khan MS, Le Gall N, Dasgupta P; GKT Botulinum Study Group.

Urology. 2008 Mar;71(3):455-9.

Re: Efficacy and complications of intradetrusor injection with botulinum toxin A in patients with refractory idiopathic detrusor overactivity.

Sahai A, Dowson C, Khan MS, Dasgupta P.

BJU Int. 2008 Feb;101(4):515-6; author reply 516-7.

Evolution of transdermal oxybutynin in the treatment of overactive bladder.

Sahai A, Mallina R, Dowson C, Larner T, Khan MS.

Int J Clin Pract. 2008 Jan;62(1):167-70.

Laparoscopic upper urinary tract surgery for benign and malignant conditions. Does aetiology have an effect on health-related quality of life?

Sahai A, Tang S, Challacombe B, Murphy D, Dasgupta P.
Int J Clin Pract. 2007 Dec;61(12):2026-9

Botulinum toxin for detrusor overactivity and symptoms of overactive bladder: where we are now and where we are going.

Sahai A, Khan MS, Gregson N, Smith K, Dasgupta P; GKT Botulinum Study Group.
Nat Clin Pract Urol. 2007 Jul;4(7):379-86.

Day-case and short-stay surgery: the future for thyroidectomy?

Mirnezami R, Sahai A, Symes A, Jeddy T.
Int J Clin Pract. 2007 Jul;61(7):1216-22.

Botulinum toxin a in the overactive bladder: current status and future directions.

Mallina R, Sahai A, Khan MS, Dasgupta P.
BJU Int. 2007 Jun;99(6):1549-50.

Efficacy of botulinum toxin-A for treating idiopathic detrusor overactivity: results from a single center, randomized, double-blind, placebo controlled trial.

Sahai A, Khan MS, Dasgupta P.
J Urol. 2007 Jun;177(6):2231-6.

Laparoscopic nephrectomy in a patient with ankylosing spondylitis: surgical and anesthetic challenges.

Sampath R, Raychaudhuri B, Sahai A, Scott H, Dasgupta P.
J Laparoendosc Adv Surg Tech A. 2007 Apr;17(2):223-5.

Laparoscopic retroperitoneal nephrectomy for giant hydronephrosis: when simple nephrectomy isn't simple.

Challacombe B, Sahai A, Murphy D, Dasgupta P.
J Endourol. 2007 Apr;21(4):437-40.

Informed consent: are we deluding ourselves? A randomized controlled study.

Sahai A, Murphy D, Dasgupta P.
BJU Int. 2007 Apr;99(4):943.

Is botulinum A toxin an effective treatment for idiopathic detrusor overactivity and sensory urgency?

Sahai A, Dasgupta P, Khan MS.
Nat Clin Pract Urol. 2007 Mar;4(3):136-7.

Video consent: a pilot study of informed consent in laparoscopic urology and its impact on patient satisfaction.

Sahai A, Kucheria R, Challacombe B, Dasgupta P.
JSLs. 2006 Jan-Mar;10(1):21-5.

The overactive bladder: review of current pharmacotherapy in adults. Part 2: treatment options in cases refractory to anticholinergics.

Sahai A, Khan MS, Arya M, John J, Singh R, Patel HR.
Expert Opin Pharmacother. 2006 Apr;7(5):529-38.

The overactive bladder: review of current pharmacotherapy in adults. Part 1: pathophysiology and anticholinergic therapy.

Sahai A, Khan MS, Arya M, John J, Singh R, Patel HR.
Expert Opin Pharmacother. 2006 Apr;7(5):509-27. Review. Erratum in: Expert Opin Pharmacother. 2006 May;7(7):973.

Techniques for the intradetrusor administration of botulinum toxin.

Sahai A, Kalsi V, Khan MS, Fowler CJ.
BJU Int. 2006 Apr;97(4):675-8.

Is botulinum toxin type A a safe and effective treatment for neurogenic urinary incontinence?

Sahai A, Dasgupta P.
Nat Clin Pract Urol. 2005 Nov;2(11):530-1.

A prospective study to evaluate the safety, tolerability, efficacy and durability of response of intravesical injection of botulinum toxin type A into detrusor muscle in patients with refractory idiopathic detrusor overactivity.

Sahai A.
BJU Int. 2006 Feb;97(2):413.

Laparoscopic pyeloplasty and pyelopyelostomy for ureteropelvic junction obstruction in a duplicated collecting system.

Sahai A, Raghuram S, Minarik L, Khan MS, Dasgupta P.
Urology. 2006 Jan;67(1):199.

Synchronous colectomy and caesarean section for fulminant ulcerative colitis: case report and review of the literature.

Haq AI, Sahai A, Hallwoth S, Rampton DS, Dorudi S.
Int J Colorectal Dis. 2006 Jul;21(5):465-9.

Laparoscopic management of cryptorchidism in adults.

Kucheria R, Sahai A, Sami TA, Challacombe B, Godbole H, Khan MS, Dasgupta P.
Eur Urol. 2005 Sep;48(3):453-7;

Laparoscopic ureteroneocystostomy for benign lower ureteric stricture: case study and literature review.

Sahai A, Symes AJ, Challacombe BJ, Glass JM, Popert RJ, Dasgupta P.
Int J Clin Pract Suppl. 2005 Apr;(147):115-7.

Eosinophilic cystitis and its management.

Teegavarapu PS, Sahai A, Chandra A, Dasgupta P, Khan MS.
Int J Clin Pract. 2005 Mar;59(3):356-60.

Botulinum toxin: a new dimension in the treatment of lower urinary tract dysfunction.
Sahai A, Khan MS, Fowler C, Dasgupta P.
Urology. 2005 Jan;65(1):211.

Botulinum toxin for the treatment of lower urinary tract symptoms: a review.
Sahai A, Khan M, Fowler CJ, Dasgupta P.
Neurourol Urodyn. 2005;24(1):2-12.

Short-stay thyroid surgery.
Sahai A, Symes A, Jeddy T.
Br J Surg. 2005 Jan;92(1):58-9.

Percutaneous versus open tendo achillis repair.
Haji A, Sahai A, Symes A, Vyas JK.
Foot Ankle Int. 2004 Apr;25(4):215-8.

Attitudes of medical and dental students to dissection.
Snelling J, Sahai A, Ellis H.
Clin Anat. 2003 Mar;16(2):165-72.

Contribution to books and book chapters

Malde S, Sahai A
Male Urinary Incontinence: In Urology at a glance
Wiley, In Press 2016

Seth J, Sahai A, Dasgupta P.
Storage Lower Urinary Tract Symptoms: Evaluation and Investigations.
Diagnostic Techniques in Urology.
Springer Verlag In Press 2014.

Sahai A, Seth J, Khan MS, Dasgupta P.
Intravesical therapy for refractory overactive bladder and detrusor overactivity in adults: Botulinum Toxin-A
In Minimally Invasive Therapy for Urinary Incontinence and Pelvic Organ Prolapse.
Springer Verlag 2013

Cortes E, Belal M, Sahai A, Morley R
Pelvic Organ Prolapse
Oxford handbook of urological surgery

Oxford University Press. In Press 2013

Sahai A, Symes A, Glass JG.
Renal stone on USS / KUB X-ray in Problem based urology.
Springer Verlag 2012

Sahai A, Khan MS, Dasgupta P.
Botulinum Toxin for the treatment of urge incontinence.
In Continence: Current Concepts and Treatment Strategies.
Springer-Verlag, 2008.

Gossage J, Modarai B, Sahai A, Worth R; Editor: Professor K Burnand
100 Cases in Surgery
Hodder Arnold Health Sciences, 2007

Johnson R, Sahai A, Schizas A, Patterson P, Modarai B, Menezes L, Krishnan A Viva Tutorials for Surgeons in Training. .
Greenwich Medical Media Limited, 2004

Johnson R, Sahai A, Epstein J, Krishnan A, Schizas A, Patterson P.
Anatomy Tutor for Surgeons in Training. An MCQ Tutor in Anatomy.
Greenwich Medical Media Limited, 2003.