

Professor David O'Brart's publications

Books

1) Corneal Topography. Principles and Applications

Authors: Corbett MC, Rosen E, **O'Brart D**.
BMJ Books, London, 1999. ISBN 0-7279-1068-X.

2) Mastering Corneal Collagen Cross Linking Techniques

Editors Garg A, Pinelli R, Kanellopoulos AJ, **O'Brart D**, Lovisolo CF.
Jaypee Brothers Medical Publishers (P) Ltd, New Dehli, 2008. ISBN 978-81-8448-493-9.

3) Surgical Techniques in Ophthalmology

Editors in chief Garg A, Alio JL. Editors Goes FJ, Bovet JJ, Kanellopoulos AJ, Mehta KR, Pinelli R, Lovisolo CF, Leon FS, Ramamurthy D, Sachdev MS, Hehn F, O'Brart DPS, Gulani AC, Pajic B, Cosar CB, Mehta CK.
Jaypee Brothers Medical Publishers (P) Ltd, New Dehli, 2008. ISBN 978-81-8448-777-0.

Book chapters

Refractive Surgery. Eds Wu HK, Thompson VM, Steinert RF, Hersh PS, Slade SG. Theime Medical Publications, New York, 1999. ISBN 0-86577-797-7.

- 1) **O'Brart DPS**. Preoperative Considerations of Corneal Topography. Chapter 5: Pages 79-87.
- 2) **O'Brart DPS**, Marshall J. Background of Excimer Laser Refractive Surgery. Chapter 13: Pages 217-23.

Mastering Advanced Surface Ablation Techniques. Eds Garg A, Alio JL, Goes F, Rapuano C, Bovet J, Kanellopoulos AJ, Rinelli R, Hehn F, Pajic B, Mehta CK. Jaypee Brothers Medical Publishers (P) Ltd, New Dehli, 2008 ISBN 978-81-8448-218-8.

- 3) **O'Brart DPS**. Laser Epithelial Keratomileusis (LASEK) for the correction of hyperopia. Chapter 44: Pages 371-380.

Management of Complications in Refractive Surgery. Eds Alio JL, Azar D. Springer Verlag, Secaucus, 2008. ISBN 978-3-540-37583-8.

- 4) **O'Brart DPS**. Complications of Laser Epithelial Keratomileusis (LASEK).

Corneal Collagen Cross-linkage. Ed Garg A. Jaypee Brothers Medical Publishers (P) Ltd, New Dehli, 2008 ISBN 978-81-8448-493-9.

- 5) **O'Brart DPS**. The importance of epithelial debridement for riboflavin absorption prior to riboflavin/ultraviolet A (UVA) corneal collagen cross-linkage therapy: A laboratory study using spectrophotometry in porcine corneas

Current Understanding and New Techniques in Refractive Surgery. Nova Sciencepublishers, Inc. Hauppauge, New York, 2013. ISBN: 978-1-62808-748-2

- 6) **O'Brart DPS**. LASEK Complications.

Web publications

O'Brart DPS. BMJ Point of Care. Pterygium Chapter Copyright © 2010 Epocrates, Inc. and BMJ Publishing Group, Ltd 2008, Revised 2012. BMJ Point of Care (<http://online.epocrates.com>) and Best Practice (<http://bestpractice.bmj.com>).

Papers

- 1) **O'Brart DPS**, Eykyn S. Septicaemic infection with group B streptococci presenting with endophthalmitis in adults. *Eye* 1992;6:369-399.
- 2) **O'Brart DPS**, Gartry DS, Lohmann CP, Patmore A, Kerr Muir MG, Marshall J. Treatment of band keratopathy by excimer laser phototherapeutic keratectomy (PTK). *Br J Ophthalmol* 1993;77:702-708.
- 3) Lohmann CP, Fitzke FW, **O'Brart DPS**, Kerr Muir MG, Timberlake G, Marshall J. Corneal light scattering and visual performance in myopic individuals with spectacles, contact lenses, or excimer laser photorefractive keratectomy. *Am J Ophthalmol* 1993;115:444-53.
- 4) Lohmann CP, Fitzke FW, **O'Brart DPS**, Kerr Muir MG, Marshall J. Halos-a problem for all myopes? A comparison between spectacles, contact lenses and photorefractive keratectomy. *Refract Corneal Surg (suppl)* 1993;9:S72-S75.
- 5) Hopkins KD, **O'Brart DPS**, Russell-Jones DL, Chignell AH, Sonksen PH. Insulin-like growth factor binding protein-1 levels in diabetic proliferative retinopathy. *Horm Metab Res* 1993;25:285-334.
- 6) Lohmann CP, **O'Brart DPS**, Patmore A, Kerr Muir MG, Marshall J. Plasmin in the tear fluid of patients: a new concept in the control of myopic regression and corneal haze after excimer laser photorefractive keratectomy. *Lasers Light Ophthalmol* 1993;5:205-10.
- 7) **O'Brart DPS**, Lohmann CP, Fitzke FW, Smith SE, Kerr Muir MG, Marshall J. Night vision after excimer laser photorefractive keratectomy: haze and halos. *Eur J Ophthalmol* 1994;4:43-51.
- 8) **O'Brart DPS**, Lohmann CP, Fitzke FW, Klonos G, Corbett MC, Kerr Muir MG, Marshall J. Disturbances in night vision after excimer laser photorefractive keratectomy. *Eye* 1994;8:46-51.
- 9) **O'Brart DPS**, Gartry DS, Lohmann CP, Kerr Muir MG, Marshall J. Excimer laser photorefractive keratectomy (PRK) for myopia: comparison of 4.00mm and 5.00mm ablation zones. *J Refract Corneal Surg* 1994;10:87-94.
- 10) **O'Brart DPS**, Lohmann CP, Klonos G, Corbett MC, Pollock WST, Kerr Muir MG, Marshall J. The effects of topical corticosteroids and plasmin inhibitors on refractive outcome, haze and visual performance after excimer laser photorefractive keratectomy: a prospective, randomised, observer-masked study. *Ophthalmology* 1994;101:1565-74.
- 11) **O'Brart DPS**, Lohmann CP, Fitzke FW, Klonos G, Corbett MC, Kerr Muir MG, Marshall J. Discrimination between the origins and functional implications of haze and halo at night after photorefractive keratectomy. *J Refract Corneal Surg (suppl)* 1994;10:S281.
- 12) **O'Brart DPS**, Kerr Muir MG, Marshall J. Excimer laser phototherapeutic keratectomy for recurrent erosions. *Eye* 1994;8:378-83.
- 13) **O'Brart DPS**, Corbett MC, Saunders D, Rosen ES. The topography of corneal astigmatism. *Eur J Implant Ref Surg* 1994;6:361-69.
- 14) Moodaley L, Liu C, Woodward GE, **O'Brart D**, Kerr Muir MG, Buckley R. Excimer laser superficial keratectomy for proud nebulae in keratoconus. *Br J Ophthalmol* 1994;78:454-57.
- 15) Lohmann CP, MacRobert I, Patmore A, **O'Brart DPS**, Corbett MC, Kerr Muir MG, Marshall J. A histopathological study of surgical specimens of tissue responsible for haze and regression after excimer laser photorefractive keratectomy. *Laser Light Ophthalmol* 1994;6:149-58.
- 16) Lohmann CP, Goble R, **O'Brart D**, Fitzke F, Marshall J, Gabel VP. Sensitivity to glare before and after Nd:YAG capsulotomy. Comparison between small and large capsulotomy. *Klinische Monatsblätter für Augenheilkunde* 1994;205:65-9.
- 17) Corbett MC, **O'Brart DPS**, Saunders D, Rosen ES. The assessment of corneal topography. *Eur J Implant Ref Surg* 1994;6:98-105.

- 18)** Corbett MC, **O'Brart DPS**, Saunder D, Rosen ES. The interpretation of corneal topographical maps. *Eur J Implant Ref Surg* 1994;6:153-58.
- 19)** Corbett MC, **O'Brart DPS**, Saunder D, Rosen ES. The manipulation of corneal topographical maps. *Eur J Implant Ref Surg* 1994;6:214-222.
- 20)** Corbett MC, **O'Brart DPS**, Saunder D, Rosen ES. Topography of the normal cornea. *Eur J Implant Ref Surg* 1994;6:286-297.
- 21)** Goble RR, **O'Brart DPS**, Lohmann CP, Fitzke FW, Marshall J. The role of light scatter in the degradation of visual performance before and after Nd:YAG capsulotomy. *Eye* 1994;8:530-34.
- 22)** S Patel, M C Corbett, D O'Brart, J Marshall. Inherent errors in systems for measurement of corneal topography. *Optometry and Vision Science* 01/1994; 71(Supplement):130-131.
- 23)** **O'Brart DPS**, Corbett MC, Lohmann CP, Kerr Muir MG, Marshall J. The effects of the ablation diameter on the outcome of photorefractive keratectomy: a prospective, randomised, double-blind study. *Arch Ophthalmol* 1995;113:438-443.
- 24)** **O'Brart DPS**, Corbett MC, Lohmann CP, Kerr Muir MG, Marshall J. The effects of ablation diameter on the outcome of excimer laser photorefractive keratectomy: a prospective randomised, double-blind study. *Arch Ophthalmol (Chinese Edition)* 1995;213-8.
- 25)** **O'Brart DPS**, Saunders D, Corbett MC, Rosen ES. The corneal topography of keratoconus. *Eur J Implant Ref Surg* 1995;7:20-30.
- 26)** **O'Brart DPS**, Corbett MC, Rosen ES. The topography of corneal disease. *Eur J Implant Ref Surg* 1995;7:173-183.
- 27)** Corbett MC, **O'Brart DPS**, Marshall J. Do Topical Corticosteroids Have A Role Following Excimer Laser Photorefractive Keratectomy? *J Refract Surg* 1995;11:358-65.
- 28)** Stevenson RWW, Corbett MC, **O'Brart DPS**, Rosen ES. Corneal topography in contact lens practice. *Eur J Implant Refract Surg* 1995;7:305-17.
- 29)** Corbett MC, **O'Brart DPS**, Jongsma FHM, Stultiens BA, Marshall J. Corneal topography using a new moire-image based system. *Eur J Implant Refract Surg* 1995;7:353-70.
- 30)** Corbett MC, Marshall J, **O'Brart DPS**, Rosen ES. New and future technology in Corneal Topography. *Eur J Implant Refract Surg* 1995;7:371-85.
- 31)** **O'Brart DPS**, Corbett MC, Lohmann CP, Kerr Muir MG, Marshall J. An investigation of the role of ablation diameter and edge profile on the outcome of photorefractive keratectomy. *J Refract Surg* 1996;12:50-60.
- 32)** **O'Brart DPS**, Corbett MC, Lohmann CP, Kerr Muir MG, Marshall J. The effects of ablation diameter on the outcome of excimer laser photorefractive keratectomy: a prospective randomised, double-blind study. *Arch Ophthalmol (Indian Edition)* 1996;3:289-94.
- 33)** Corbett MC, **O'Brart DPS**, Warburton FG, Marshall J. Biological and environmental risk factors for regression after photorefractive keratectomy. *Ophthalmology* 1996;103:1381-91.
- 34)** Corbett MC, Verma S, **O'Brart DPS**, Oliver KM, Marshall J. The effect of ablation profile on wound healing and visual performance one year after excimer laser PRK. *Br J Ophthalmology* 1996;80:224-34.
- 35)** **O'Brart DPS**, de Sousa-Lima M, Bartsch D-U, Freeman M, Wienreb RN. Indocyanine green angiography of the peripapillary region in glaucoma using a confocal scanning laser ophthalmoscope. *Am J Ophthalmol* 1997;123:657-66.
- 36)** **O'Brart DPS**, Stephenson CG, Oliver KM, Marshall J. Excimer laser photorefractive keratectomy for hyperopia using an erodible mask and Axicon system. *Ophthalmology* 1997;104:1959-70.
- 37)** **O'Brart DPS**. Consultation Section. *J Cataract Ref Surg* 1997;23:319-20.

- 38)** Lawrenson JG, Corbett MC, **O'Brart DP**, Marshall J. Effect of beam variables on corneal sensitivity after excimer laser PRK. *Br J Ophthalmol* 1997;81:686-90.
- 39)** Oliver KM, Hemenger RP, Corbett MC, **O'Brart DPS**, Verma S, Marshall J, Tomlinson A. Corneal optical aberrations induced by photorefractive keratectomy. *J Refract Surg* 1997;13:246-54.
- 40)** Lohmann CP, Patmore A, **O'Brart DPS**, Reischl U, Winkler von Mohrenfels C, Marshall J. Regression and wound healing after excimer laser PRK: a histopathological study on human corneas. *Eur J Ophthalmol* 1997;7:130-8.
- 41)** **O'Brart DPS**. Consultation Section. *J Cataract Ref Surg* 1998;24:13.
- 42)** Stephenson CG, Gartry DS, **O'Brart DPS**, Kerr-Muir MG, Marshall J. Photorefractive keratectomy: A 6 year follow-up study. *Ophthalmology* 1998;105:273-81.
- 43)** **O'Brart DPS**. Consultation Section. *J Cataract Ref Surg* 1999;25:2-4.
- 44)** **O'Brart DPS**. The current status of hyperopic LASIK. *Surv Ophthalmol* 1999;10:247-52.
- 45)** Murphy PJ, Corbett MC, **O'Brart DPS**, Verma S, Patel S, Marshall J. Loss and recovery of corneal sensitivity following photorefractive keratectomy for myopia. *J Ref Surg* 1999;15:38-45.
- 46)** **O'Brart DPS**, Stephenson CG, Baldwin H, Ilari I, Marshall J. Excimer laser photorefractive keratectomy for hyperopia using an erodible mask and Axicon system: 24 month follow-up. *J Cat Ref Surg* 2000;26:524-35.
- 47)** **O'Brart DPS**. Photorefractive Keratectomy. *Optometry Today* 2000;40:8:28-33.
- 48)** Corbett MC, **O'Brart DP**, Patmore AL, Marshall J. Effect of collagenase inhibitors on corneal haze after PRK. *Exp Eye Res* 2001;72:253-9.
- 49)** Oliver KM, **O'Brart DPS**, Stephenson CG, Hemenger RP, Applegate RA, Tomlinson A, Marshall J. Anterior corneal optical aberrations induced by photorefractive keratectomy for hypermetropia. *J Ref Surg* 2001;17:406-13.
- 50)** **O'Brart DPS**, Rowlands E, Islam N, Noury S. A randomised, prospective study comparing trabeculectomy augmented with anti-metabolites with a viscocanalostomy technique for the management of open-angle glaucoma uncontrolled by medical therapy. *Br J Ophthalmol* 2002;86:748-54.
- 51)** **O'Brart DPS**. Laser Epithelial Keratomileusis (LASEK). *Refractive Eye News* 2002;1:12-15.
- 52)** Kampik A., Arias-Puente A, **O'Brart DPS**, Vuori M-L and The European Latanoprost Study Group. Intraocular pressure lowering effects of latanoprost and Brimonidine therapy in patients with open-angle glaucoma or ocular hypertension: a randomised observer masked study. *J Glaucoma* 2002;11:90-96.
- 53)** **O'Brart DPS**. LASEK: Top tips. *Refractive Eye News* 2003;6:10-11.
- 54)** Murphy PJ, **O'Brart DPS**, Stephenson CG, Oliver KM, Patel S, Marshall J. The effect of Hyperopic Photorefractive Keratectomy (PRK) on corneal sensitivity: a longitudinal study. *J Ref Surg* 2003;19:34-9.
- 55)** Sciscio A, Hull CC, Stephenson CG, Baldwin H, **O'Brart D**, Marshall J. Fourier analysis of induced irregular astigmatism. Photorefractive keratectomy versus laser in situ keratomileusis in a bilateral cohort of hyperopic patients. *J Cataract Refract Surg* 2003;29:1709-17.
- 56)** **O'Brart DPS**, Shiew M, Edmunds B. A Randomised, Prospective Study Comparing Trabeculectomy with Viscocanalostomy with Adjunctive Anti-metabolite Usage for the management of open-angle glaucoma uncontrolled by medical therapy. *Br J Ophthalmol* 2004;88:1012-7.
- 57)** Rajan M, Jaycock P, **O'Brart DPS**, Marshall J. A long-term study of photorefractive keratectomy: 12 year follow-up. *Ophthalmology* 2004;111:1813-24.
- 58)** **O'Brart DPS**, Patsoura E, Jaycock PD, Rajan MS, Marshall J. Excimer laser photorefractive keratectomy for hyperopia: 7.5 year follow-up. *J Cat Ref Surg* 2005;31:1104-1113.
- 59)** **O'Brart DPS**. Top ten tips: avoiding ectasia in LASIK. *Refractive Eye News* 2005;6:18-19

- 60) O'Brart DPS.** Consultation Section. *J Cataract Ref Surg* 2005;31:463-465.
- 61) Jaycock PD, O'Brart DPS, Rajan MS, Marshall J.** 5 year follow-up of laser in situ keratomileusis for hyperopia. *Ophthalmology* 2005;112:191-9.
- 62) Nagar M, Ogunyomade A, O'Brart DPS, Howes F, Marshall J.** A randomised, prospective study comparing selective laser trabeculoplasty with latanoprost for the control of intraocular pressure in ocular hypertension and openangle glaucoma. *Br J Ophthalmol.* 2005 Nov;89(11):1413-7.
- 63) O'Brart DPS, Attar M, Hussien B, Marshall J.** Laser epithelial keratomileusis (LASEK) for the correction of high myopia with the Schwind ESIRIS flying-spot laser. *J Refract Surg.* 2006 Mar;22(3):253-62.
- 64) O'Brart DPS, Petrarca R.** Keratoconus – Part 1. *Optician* 2006 October ;232:26-31.
- 65) O'Brart DPS, Petrarca R.** Keratoconus – Part 2 Surgical interventions. *Optician* 2006 November;232:28-32.
- 66) O'Brart DPS.** Surgical interventions in keratoconus. *Ophthalmology International Autumn* 2006:19-23
- 67) O'Brart DPS, Choudry S, Petrarca R.** Keratoconus: Surgical Interventions. *Eye News February/March* 2007; 13(5):21-27.
- 68) O'Brart DP, Mellington F, Jones S, Marshall J.** Laser epithelial keratomileusis for the correction of hyperopia using a 7.0-mm optical zone with the Schwind ESIRIS laser. *J Refract Surg* 2007;23:343-54.
- 69) Rajan M, O'Brart DPS, Parel P, Falcon M, Marshall J.** Topography-guided customized laser-assisted subepithelial keratectomy for the treatment of postkeratoplasty astigmatism. *J Cataract Refract Surg.* 2006 Jun;32(6):949-57.
- 70) Rajan M, O'Brart DPS, Jaycock P, Marshall J** Effects of ablation diameter on long-term refractive stability and corneal transparency after photorefractive keratectomy. *Ophthalmology.* 2006 Oct;113(10):1798-806.
- 71) Rajan M, O'Brart DPS, Patmore A, Marshall J** Cellular effects of mitomycin-C on human corneas after photorefractive keratectomy. *J Cataract Refract Surg.* 2006 Oct;32(10):1741-7.
- 72) O'Brart DPS, Fayers T.** Primary management of mechanical trauma to the anterior segment. *Eye News February/March* 2008;14
- 73) O'Brart DPS, Hayes S.** Use of isoptocarpine in corneal collagen crosslinking. *JCRS* 2008;34:2009.
- 74) Hayes S, O'Brart DP, Lamdin LS, Douth J, Samaras K, Meek KM, Marshall J.** An investigation into the importance of complete epithelial debridement prior to Riboflavin/Ultraviolet A (UVA) corneal collagen cross-linkage therapy. *J Cat Ref Surg* 2008;34(4):657-61.
- 75) Hayes S, O'Brart DP.** Reply: Effect of epithelial debridement in corneal collagen crosslinking therapy in porcine and human eyes. *J Cat Ref Surg* 2008;34(11):1816.
- 76) Samaras K, O'Brart DP, Douth J, Hayes S, Marshall J, Meek K.** Effect of Epithelial Retention and Removal on Riboflavin Absorption in Porcine Corneas. *J Ref Surg* 2009 Sep;25(9):771-5.
- 77) O'Brart DPS, Chan E, Samaras K, Patel P, Shah S.** A randomised, prospective, bilateral study to investigate the efficacy of riboflavin/ultraviolet A (370nm) corneal collagen cross-linkage to halt the progression of keratoconus. *Br J Ophth* 2011 Nov;95(11):1519-24.
- 78) O'Brart DPS, Gavin E.** Contact-lens associated simultaneous *Fusarium* and *Acanthamoeba* keratitis treated with therapeutic penetrating keratoplasty. *J Clinic Exp Ophth* 2011;2:6.
- 79) O'Brart DPS.** Current European Guidelines for Refractive Surgery: United Kingdom. *Cataract & Refractive Surgery Today Europe* November/December 2011;50-54.
- 80) Angunawela RI, von Mohrenfels CW, Kumar A, O'Brart DP, Marshall J.** Live or Let Die: Epithelial Flap Vitality and Keratocyte Proliferation Following LASEK and Epi-LASIK in Human Donor and Porcine Eyes. *J Refract Surg.* 2011 Feb;27(2):111-8.

- 81)** Chan E, Shah AN, **O'Brart DPS**. 'Swiss Roll' amniotic membrane technique for the management of corneal perforations. *Cornea* 2011;30(7):838-841.
- 82)** Shah AN, **O'Brart DPS**. Corneal decompensation due to spontaneously dislocated crystalline lens: initial management can be conservative. *Clinical and Experimental Optometry* 2011 Jul;94(4):380-2.
- 83)** Shunmugam M, Chan E, **O'Brart D**, Moonim MT, Stanford MR, Morley AMS Cutaneous $\gamma\delta$ T-cell lymphoma presenting with bilateral ocular and adenexal involvement. *Arch Ophthalmol* 2011 Oct;129(10):1379-81.
- 84)** **O'Brart DPS**, Williams K. Pterygium after Hyperopic Laser Epithelial Keratomileusis (LASEK). *Clinical Exp Opt* 2012;9.
- 85)** **O'Brart DPS**. Corneal Collagen Cross Linking. *Current Medical Literature – Ophthalmology* 2012;22930:73-80.
- 86)** **O'Brart DPS**, Barsam A. Update on surface ablation procedures: part one. *Cataract & Refractive Surgery Today*. November 2012;12(11):31-32,34.
- 87)** Filippello M, Stagni E, **O'Brart D**. Trans-epithelial corneal collagen cross-linking: A bilateral, prospective study. *J Cat Ref Surg* 2012 Feb;38(2):283-91.
- 88)** Tariq AA, **O'Brart DPS**, O'Brart AL, Meek KM. An investigation of trans-epithelial stromal Riboflavin absorption with Ricrolin TE[®] (Riboflavin 0.1% with trometamol and sodium EDTA) using spectrophotometry. *J Cat Ref Surg* 2012;38:884-889.
- 89)** Filippello M, Stagni E, **O'Brart D**. Reply: Efficacy and safety of transepithelial corneal collagen crosslinking. *J Cataract Refract Surg*. 2012 Jul;38(7):1304-5.
- 90)** **O'Brart DPS**, Barsam A. Update on surface ablation procedures: part two. *Cataract & Refractive Surgery Today*. January/February 2013;13(2):28-30,32.
- 91)** **O'Brart DPS**, Kwong TQ, Patel P, McDonald RJ, O'Brart NA. Long-term follow-up of riboflavin/ultraviolet A (370nm) corneal collagen cross-linking to halt the progression of keratoconus. *Br J Ophthalmol*. 2013 Apr;97(4):433-7.
- 92)** Shalchi Z, **O'Brart DPS**. Bilateral detachment of Descemet's membrane occurring a few weeks following uncomplicated phacoemulsification cataract surgery: A case report and review of the literature. *JAMA Ophthalmol*. 2013 Apr 1;131(4):533-5.
- 93)** **O'Brart DPS**. Excimer laser surface ablation: A review of recent literature. *Clin Exp Optom* 2014 Jan;97(1):12-7.
- 94)** **O'Brart DPS**. Corneal Collagen Cross Linking: A review. *Journal of Optom* 2014 Jul-Sep;7(3):113-24.
- 95)** **O'Brart DPS**, Shalchi Z, McDonald RJ, Patel P, Marshall J. Twenty year follow-up of a randomized prospective clinical trial to investigate the ablation diameter and edge profile on the outcome of Excimer laser photorefractive keratectomy. *Am J Ophthalmol* 2014 Oct;158(4):651-663.
- 96)** **O'Brart DPS**, Patel P, O'Brart NA. Five Years Follow-up of Riboflavin/Ultraviolet A (370 nm) Corneal Collagen Cross-linking to Halt the Progression of Keratoconus. *Int J Kerat Ect Cor Dis* 2014;3(2):00-00.
- 97)** Gore D, Margineanu A, French P, **O'Brart D**, Dunsby C, Allan D. Two-photon fluorescence microscopy of corneal riboflavin absorption. *Invest Ophthalmol Vis Sci* 2014 Apr 17;55(4):2476-81.
- 98)** Mahroo O, Oomerjee M, Williams K, **O'Brart D**, Hammond C. High heritability of posterior corneal curvature, as measured by Scheimpflug imaging, in a twin study. *Invest Ophthalmol Vis Sci* 2014 Nov 25;55(12):8359-64.
- 99)** **O'Brart DPS**. Letter to editor. Reply to Is accelerated corneal cross-linking for keratoconus the way forward? Yes or No. *Eye (Lond)*. 2015 Feb;29(2):293.
- 100)** Shalchi Z, **O'Brart DPS**, McDonald RJ, Patel P, Marshall J. Eighteen year follow-up of Excimer laser Photorefractive Keratectomy. *Journal of Cataract and Refractive* 2015 Jan;41(1):23-32.

- 101)** Gore DM, French P, **O'Brart D**, Dunsby C, Allan BD. Two-photon fluorescence microscopy of corneal riboflavin absorption through an intact epithelium. *Invest Ophthalmol Vis Sci* 2015 Feb 19;56(2):1191-2.
- 102) O'Brart DPS.** Isolated Dislocation of a Supplementary Sulcus Pseudophakic Intraocular Lens. *J Cat Refract Surg* 2015 Jun;41(6):1315-7.
- 103)** Wagh VK, De Benito-Llopis L, **O'Brart DPS.** Idiopathic stromal keratitis resembling Central Toxic Keratopathy: A case report. *J Cataract Refract Surg.* 2015 Jul 23. pii: S0886-3350(15)00627-6.
- 104)** Gore DM, **O'Brart D**, Dunsby C, French P, Allan BD. Transepithelial riboflavin absorption in an ex-vivo rabbit corneal model. *Invest Ophthalmol Vis Sci* 2015 Jul 1;56(8):5006-5011.
- 105) O'Brart DPS,** Patel P, Lascaratos G, Wagh VK, Tam C, Lee J, O'Brart NA. Seven year follow-up of riboflavin/ultraviolet A corneal cross-linking to halt the progression of keratoconus and corneal ectasia. *American Journal of Ophthalmology* 2015 Aug 22. pii: S0002-9394(15)00517-6. doi: 10.1016/j.ajo.2015.08.023. [Epub ahead of print].
- 106)** Nada H, Aldahlawi AH, Hayes S, **O'Brart DPS,** Meek KM. Standard versus accelerated riboflavin/ultraviolet corneal cross-linking: Resistance against enzymatic digestion. *J Cataract Refract Surg* 2015 (Accepted).
- 107)** Morgan S, Hayes S, **O'Brart D P,** O'Brart N, Meek KM. A study of stromal riboflavin absorption using new and existing delivery protocols for corneal cross-linking. *Acta Ophthalmologica* 2015 Sep 30. doi: 10.1111/aos.12884.
- 108)** Wagh VK, Dave R, **O'Brart DPS,** Lim WS, Patel P, Tam C, Lee J, Marshall J. Eighteen year follow-up of Hyperopic Photorefractive Keratectomy. *J Cataract Refract Surg* 2015 (Accepted).
- 109)** Song X, Gatziofias Z, Wang J, Stachon T, **O'Brart D,** Szentmary N, Langenbucher A, Seitz B. Effects of thyroxine and hydrocortisone on human keratocytes in normal and keratoconus corneas in vitro. *J Endocrinol Invest* 2015 (Submitted).
- 110)** Gore DM, **O'Brart D**, Dunsby C, French P, Allan BD. A comparison of different iontophoresis protocols for transepithelial corneal cross-linking using two-photon fluorescence microscopy. *Invest Ophthalmol Vis Sci* 2015 (Submitted).
- 111)** Baneke AJ, Oomerjee M, Williams KM, Ayoub T, **O'Brart D,** Hammond CJ, Mahroo OA. A comparison of keratometry and biometry measurements taken with the IOL Master 500, the NIDEK AL-Scan Optical Biometer, and the Oculus Pentacam, in healthy twin subjects. *European J Ophth* 2015 (Submitted).
- 112)** Gatziofias Z, Raiskup F, **O'Brart D,** Spoerl E, Panos GD, Hafezi F. Transepithelial Corneal Crosslinking Using an Enhanced Riboflavin Solution. *J Cataract Refract Surg* 2015 (Submitted).
- 113)** Dave R, **O'Brart DPS,** Wagh VK, Lim WS, Patel P, Tam C, Lee J, Marshall J. Sixteen year follow-up of Hyperopic Photorefractive Keratectomy. *Br J Ophth* 2015 (Submitted).
- 114) O'Brart DPS.** Letter to editor. Reply to Alio JL, Soria FA, Abbouda A, Peña-García P. Fifteen years follow-up of photorefractive keratectomy up to 10 D of myopia: outcomes and analysis of the refractive regression. *Br J Ophthalmol.* 2015 Sep 10. pii: bjophthalmol-2014-306459. doi: Br J Ophthalmol 2015 (accepted).