

KEQAS Pilot scheme results 2014

Results (ug/L)																	
Group number	Batch 16				EtOH 16				Batch 17				EtOH 17				Group number
	K1	Mk-4	MK-7	K1O	K1	Mk-4	MK-7	K1O	K1	Mk-4	MK-7	K1O	K1	Mk-4	MK-7	K1O	
2	BLD	5.63	BLD	410.46	1.56	BLD	1.35	BLD	0.13		3.98	73.00	4.24	NA	2.93		2
3		20.86	1.31			10.55	2.17			6.99	2.28			6.00	2.28		3
14		12.45			1.71	13.50			0.88	2.55			4.65	11.07			14
36	0.44	26.62			2.25	10.51			0.42	8.42		40.11	5.06	7.39		0.61	36
43																	43
45	0.35	14.81	1.83	39.45	4.20	11.90	3.97	0.60	0.23	5.24			5.57	7.91	1.91	0.32	45
47																	47
48	0.27				0.23				0.36								48
52																	52
53	0.28			427.10	0.41			0.14	0.36			139.82	9.81			2.51	53
54	0.19	8.39		44.12	2.28	9.10		1.00	0.28	3.72	3.59	196.41	4.72	12.44	1.23	1.24	54
Mean	0.31	14.79	1.57	230.28	1.81	11.11	2.50	0.58	0.38	5.38	3.28	112.34	5.67	8.96	2.09	1.17	Mean
SD	0.1	7.8	0.4	217.8	1.3	1.7	1.3	0.4	0.2	2.4	0.9	69.7	2.1	2.7	0.7	1.0	SD
CV(%)	30	53	23	95	74	15	54	74	63	44	27	62	37	30	34	83	CV(%)

BLD = Below limit of detection

Group number	Batch 18				EtOH 18			
	K1	Mk-4	MK-7	K1O	K1	Mk-4	MK-7	K1O
2	1.08	3.34	3.26	52.15	2.82	BLD	0.73	BLD
3		4.44	5.00			0.85	0.36	
14	2.09	4.50			1.37	0.56		
36	1.76	4.19		50.32	3.57	1.30		0.91
45	1.66	4.06	3.09	39.45	3.10	1.24		0.71
48	2.55				9.45			
54	1.63	5.51	3.73	108.30	2.75	1.65	0.46	1.12
Mean	1.79	4.34	3.77	62.56	3.84	1.12	0.52	0.91
SD	0.5	0.7	0.9	31.0	2.8	0.4	0.2	0.2
CV(%)	27	16	23	50	74	38	37	23

